




Product Service

CERTIFICATE

No. Z2 074489 0072 Rev. 01

Holder of Certificate: **Yingli Energy (China) Co., Ltd.**
3399 Chaoyang North Street
071051 Baoding
PEOPLE'S REPUBLIC OF CHINA

Certification Mark:



Product: **Crystalline Silicon Terrestrial Photovoltaic (PV) Modules**
Mono-crystalline Silicon Photovoltaic (PV) Modules

The product was tested on a voluntary basis and complies with the essential requirements. The certification mark shown above can be affixed on the product. It is not permitted to alter the certification mark in any way. In addition, the certification holder must not transfer the certificate to third parties. This certificate is valid until the listed date, unless it is cancelled earlier. All applicable requirements of the testing and certification regulations of TÜV SÜD Group have to be complied. For details see: www.tuvsud.com/ps-cert

Test report no.: 882162003704

Valid until: 2026-09-13

Date, 2021-09-16


(Xinlian LUO)

CERTIFICATE

No. Z2 074489 0072 Rev. 01

Model(s):

All electrical data is shown as relative to this test conditions:

Front side irradiance 1000 W/m²

Backside irradiance 135 W/m²

25 °C, AM 1.5

6" mono C-Si (N type) bifacial modules:

YLxxxCG2536F-1(xxx=375-445, in steps of 5, 72 cells)

YLxxxCG2536L-1(xxx=375-445, in steps of 5, 72 cells)

YLxxxCG2530F-1(xxx=310-370, in steps of 5, 60 cells)

YLxxxCG2530L-1(xxx=310-370, in steps of 5, 60 cells)

6" mono 1/2 cut C-Si (N type) bifacial modules:

YLxxxCG2536F-1 1/2(xxx=420-455, in steps of 5, 144 cells)

YLxxxCG2536L-1 1/2(xxx=420-455, in steps of 5, 144 cells)

YLxxxCG2530F-1 1/2(xxx=350-360, 370-375, in steps of 5, 120 cells)

YLxxxCG2530L-1 1/2(xxx=350-360, 370-375, in steps of 5, 120 cells)

xxx is standing for equivalent output power

All electrical data is shown as relative to standard test conditions:

Front side irradiance 1000 W/m²

25 °C, AM 1.5

6" mono C-Si (N type) facial modules:

YLxxxCG2536F-2(xxx=325-400, in steps of 5, 72 cells)

YLxxxCG2536L-2(xxx=325-400, in steps of 5, 72 cells)

YLxxxCG2530F-2(xxx=270-330, in steps of 5, 60 cells)

YLxxxCG2530L-2(xxx=270-330, in steps of 5, 60 cells)

6" mono C-Si (P type) facial modules:

YLxxxDG2536F-2(xxx=320-395, in steps of 5, 72 cells)

YLxxxDG2536L-2(xxx=320-395, in steps of 5, 72 cells)

YLxxxDG2530F-2(xxx=270-325, in steps of 5, 60 cells)

YLxxxDG2530L-2(xxx=270-325, in steps of 5, 60 cells)

6" mono 1/2 cut C-Si (N type) facial modules:

YLxxxCG2536F-2 1/2(xxx=340-410, in steps of 5, 144 cells)

YLxxxCG2536L-2 1/2(xxx=340-410, in steps of 5, 144 cells)

YLxxxCG2530F-2 1/2(xxx=280-340, in steps of 5, 120 cells)

YLxxxCG2530L-2 1/2(xxx=280-340, in steps of 5, 120 cells)

6" mono 1/2 cut C-Si (P type) facial modules:

YLxxxDG2536F-2 1/2(xxx=390-410, in steps of 5, 144 cells)

YLxxxDG2536L-2 1/2(xxx=390-410, in steps of 5, 144 cells)

YLxxxDG2530F-2 1/2(xxx=325-340, in steps of 5, 120 cells)

YLxxxDG2530L-2 1/2(xxx=325-340, in steps of 5, 120 cells)

YLxxxDF72 1/2(xxx=430-455, in steps of 5, 144 cells)

YLxxxDL72 1/2(xxx=430-455, in steps of 5, 144 cells)

YLxxxDF60 1/2(xxx=360-375, in steps of 5, 120 cells)

YLxxxDL60 1/2(xxx=360-375, in steps of 5, 120 cells)

YLxxxDF72 e/2 (xxx=510-555, in steps of 5, 144 cells)

YLxxxDF66 e/2 (xxx=470-505, in steps of 5, 132 cells)

YLxxxDF54 e/2 (xxx=385-415, in steps of 5, 108 cells)

xxx is standing for rated output power at STC



Product Service

CERTIFICATE

No. Z2 074489 0072 Rev. 01

Parameters:

Safety Class: Class II

Max. System Voltage: 1500V DC

Construction: Framed or Frameless, with Junction box, cable and connector.

Fire Safety Class: Class A according to UL790

Severity of salt mist test: Level 6

Production Facilities:

1. Yingli Energy (China) Co., Ltd.

No.3399, Chaoyang North Road, Baoding, 071051, Hebei, China

Production Facility Number: 74489

2. HengShui Yingli New Energy Resources Co., Ltd.

No.969 Wei17 Road, Hengshui Economic Development District

Hebei, 053000, China

Production Facility Number: 91598

3. Tianjin Yingli New Energy Resources Co., Ltd.

No.5 Haihang East Road, Tianjin Ninghe Modern Industry Area

Tianjin, 301500, China

Production Facility Number: 91605

4. Yingli Energy (Jiangxi) Co.,Ltd.

Next to the 105 National Road De an Country Jiujiang, Jiangxi Province, 330400, China.

Production Facility Number: 102331

5.Hebei Lantai Yingli Energy Co.,Ltd.

No.77 Hengyuan Road, Hi-tech district, 071000,Baoding, Hebei Province, China.

Production Facility Number: 102332

6. Yingli Energy (Yantai) Co.,Ltd.

No.107 Jinshan Road, Fushan district, Yantai, 264000, Shandong Province, China.

Production Facility Number: 103723

7.Yingli New Energy (HaiNing) Co.,Ltd.

No.188 Chuangye Road, Tongyuan, Haiyan, Jiaxing, 314000, Zhejiang Province, China

Production Facility Number: 111351

Tested

according to:

IEC 61215-1:2016

IEC 61215-1-1:2016

IEC 61215-2:2016

IEC 61730-1:2016

IEC 61730-2:2016

IEC 61701:2020

IEC 62716:2013

ZERTIFIKAT ◆ CERTIFICATE ◆ 認證證書 ◆ CERTIFICADO ◆ CERTIFICAT